Version:	1.1	
Revision Date:	04/30/2008	
Print Date:	01/26/2009	

The recipient of this Safety Data Sheet is urged to study it carefully to become aware of hazards, if any, of the product involved. In the interest of safety you should (1) notify your employees, agents and contractors of the information on this sheet,(2) furnish a copy to each of your customers for the product, and (3) request your customers to inform their employees and customers as well.

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name: BioGuard® Maintain CLC2
Product Use Description: Recreational Water Product

EPA Registration Number: 5185-496

Registration number: CANADA 28401

Company:

Bio-Lab, Inc. BioGuard

P.O. Box 300002 Lawrenceville, GA 30049-1002

Emergency telephone:

CHEMTREC (US Transportation):

(800) 424-9300 (703) 527-3887

Poison Control Center (Medical):

(877) 800-5553

Customer Service: (800) 859-7946

Prepared by: <u>Product Safety Department</u>

(US) +1 866-430-2775 (EU) +44 (0) 1753.603.000

Email: MSDSRequest@chemtura.com

## **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

DANGER!
Form: granules
Colour: white
Odour: Chlorine

Corrosive OSHA Hazards:

Oxidizer THIS MATERIAL IS HAZARDOUS UNDER THE Causes severe eye damage. CRITERIA OF THE FEDERAL OSHA HAZARD Causes skin burns. COMMUNICATION STANDARD 29CFR 1910.1200.

Harmful if swallowed.

MSDS Number: BIOG\_4500132

Version:	1.1	
Revision Date:	04/30/2008	
Print Date:	01/26/2009	

Harmful if absorbed through skin.
Avoid breathing dust or vapor.
Causes respiratory tract irritation.
Do not get in eyes, on skin, or on clothing.
Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

## **Potential Health Effects**

Primary Routes of Entry : Skin contact

Eye contact Inhalation Ingestion

Aggravated Medical Condition : Respiratory disorders

Skin disorders

Inhalation : Causes respiratory tract irritation.

Skin : On contact with moisture, this material readily hydrolyzes to acid which may

result in burns if not promptly removed. Harmful if absorbed through skin.

Eyes : Causes severe eye damage.

Ingestion : Harmful if swallowed.

Chronic Exposure : None known.

# SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

### **Hazardous components**

Component	CAS-No.	Concentration
calcium hypochlorite	7778-54-3	47 %
calcium dihydroxide	1305-62-0	1 - 5 %
calcium carbonate	471-34-1	0 - 2 %

### SECTION 4. FIRST AID MEASURES

### First aid procedures

Inhalation : Remove to fresh air.

If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth, if possible. Call a POISON CENTRE or doctor/physician.

MSDS Number: BIOG\_4500132

Version:	1.1	
Revision Date:	04/30/2008	
Print Date:	01/26/2009	

Skin contact : Remove contaminated clothing and shoes.

Rinse immediately with plenty of water for at least 15 minutes.

Call a POISON CENTRE or doctor/physician.

Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.

Call a POISON CENTRE or doctor/physician.

Ingestion : Call a physician or poison control centre immediately.

Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison control center or

doctor.

Do not give anything by mouth to an unconscious person.

Notes to physician

Treatment : Probable mucosal damage may contraindicate the use of gastric lavage.

### SECTION 5. FIRE-FIGHTING MEASURES

## Flammable properties

Flash point : not applicable

### Protective equipment and precautions for firefighters

Suitable extinguishing media : Flood with large volumes of water.

Unsuitable extinguishing

media

ABC powder

Dry chemical

Risk of violent reaction.

Oxygen

Chlorine containing gases can be produced.

Further information : When in contact with other combustible materials, this product may increase the

burning rate of the combustible material.

Do not let fire burn.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Thoroughly decontaminate fire fighting equipment including all fire fighting wearing

apparel after the incident.

#### **Further information**


MSDS Number: BIOG\_4500132

Version:	1.1	
Revision Date:	04/30/2008	
Print Date:	01/26/2009	

NFPA Classification Health Hazard: 3

Fire Hazard: 0 Reactivity Hazard: 1 Specific hazards: OX Class

1 Oxidizer.



#### SECTION 6. ACCIDENTAL RELEASE MEASURES

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

Methods for containment / Methods for cleaning up

Using appropriate protective clothing and safety equipment, contain spilled

material.

Do not add water to spilled material.

Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil, and other contaminated material and place into clean dry

containers for disposal.

Do not close containers containing wet or damp material. They should be left

open to disperse any hazardous gases that may form.

Additional advice Do not use floor sweeping compounds to clean up spills.

Do not transport wet or damp material.

Treat recovered material as described in the section "Disposal considerations".

Do not contaminate water, food or feed by storage or disposal or cleaning of

equipment.

### SECTION 7. HANDLING AND STORAGE

Handling

Advice on safe handling : Avoid contact with skin, eyes and clothing.

> Avoid breathing dust. Avoid breathing vapors.

Contains a strong oxidizing agent. Do not mix with other chemicals.

Mix only with water.

Never add water to this product.

Always add product to large quantities of water.

Use only clean and dry utensils.

Do not add this product to any dispensing devices containing remnants of any other product. Such use may cause a violent reaction leading to fire or

explosion.

Contamination with moisture, organic matter or other chemicals may start a chemical reaction and generate heat, hazardous gas, possible fire and

explosion.

In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area.

Flood with large volumes of water.

Wash hands thoroughly with soap and water after handling and before eating,

MSDS Number: BIOG\_4500132

Version:	1.1
Revision Date:	04/30/2008
Print Date:	01/26/2009

drinking or using tobacco.

Do not handle until all safety precautions have been read and understood.

Storage

Requirements for storage areas and containers

Keep container closed when not in use.

Store in a cool, dry, well ventilated area away from heat or open flame.

Store in original container.

For bags: Store dry product in its original unopened bag until use. For partially

used bags, fold over top of bag and secure with adhesive tape.

Keep out of reach of children. Keep away from animals.

## **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **Exposure Guidelines**

### Components with workplace control parameters

Components / CAS-No.	Value - Basis - Update	Control parameters	Further information
calcium dihydroxide 1305-62-0	TWA ; ACGIH 1994-09-01	5 mg/m3	
calcium dihydroxide 1305-62-0	TWA ; OSHA P1 1993-06-30	15 mg/m3	Total dust
calcium dihydroxide 1305-62-0	TWA ; OSHA P1 1993-06-30	5 mg/m3	respirable dust fraction

## **Exposure Guidelines**

# Components with workplace control parameters

Components / CAS-No.	Value - Basis - Update	Control parameters	Further information
calcium carbonate 471-34-1	TWA ; ACGIH 1994-09-01	10 mg/m3	The value is for total dust containing no asbestos and < 1% crystalline silica.
calcium carbonate 471-34-1	TWA ; OSHA P1 1993-06-30	15 mg/m3	Total dust
calcium carbonate 471-34-1	TWA ; OSHA P1 1993-06-30	5 mg/m3	respirable dust fraction

## **Engineering measures**

Engineering measures : Use with adequate ventilation.

Ensure that eyewash stations and safety showers are close to the workstation

5 of 10

location.

# Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear rubber gloves.

MSDS Number: BIOG\_4500132

Version:	1.1
Revision Date:	04/30/2008
Print Date:	01/26/2009

Respiratory protection : A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2

requirements must be followed whenever workplace conditions warrant a

respirator's use.

Hygiene measures : Wash contaminated clothing before reuse.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

Form : granules

Colour : white

Odour : Chlorine

Safety data

Flash point : not applicable

pH : 8.9

5% Solution

Freezing point : not applicable

Melting point/range Not Available

Boiling point/boiling range : not applicable

Vapour pressure : Not Available

Bulk density : 60.6 lb/ft3

granules

Water solubility : 180 g/l

at 77 °F (25 °C)

Relative vapour density : Not Available

### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : High temperatures.

Poor ventilation. Moisture/high humidity.

Contamination

Materials to avoid : Avoid contact with water on concentrated material in the container. Avoid

contact with easily oxidizable material; ammonia, urea, or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping

MSDS Number: BIOG\_4500132

Version:	1.1
Revision Date:	04/30/2008
Print Date:	01/26/2009

compounds; chlorinated isocyanurates; other swimming pool/spa chemicals in their concentrated form; acids. Avoid contact with all other chemicals.

Hazardous decomposition

products

Oxygen

Chlorine containing gases can be produced.

Hazardous reactions : Hazardous polymerisation does not occur.

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 rat

Dose: 1,195 mg/kg

Acute dermal toxicity : LD50 rabbit

Dose: > 2,000 mg/kg

Acute inhalation toxicity : This material in the form as sold is not expected to produce respiratory effects.

If ground or otherwise in a powdered form, effects similar to a corrosive substance may

occur.

May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly

burns of the mucous membranes.

Skin irritation : rabbit

Causes skin burns.

Direct contact with wet material or moist skin may cause severe irritation, pain and possibly

burns.

Dry chemical In vitro study Non-corrosive

<u>Eye irritation</u> : Causes severe eye damage.

Sensitisation : Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

## **SECTION 12. ECOLOGICAL INFORMATION**

Additional ecological information : Toxic to fish

Toxic to aquatic organisms.

Do not discharge effluent containing this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your

State Water Board or Regional Office of the EPA.

MSDS Number: BIOG\_4500132 7 of 10

Version:	1.1	
Revision Date:	04/30/2008	
Print Date:	01/26/2009	

### SECTION 13. DISPOSAL CONSIDERATIONS

Further information : Dispose of waste material in compliance with all federal, state, and local

regulations.

Improper disposal of excess product, spray mixture or rinsate is a violation of

Federal Law.

If these wastes cannot be disposed of by use according to label instructions, contact your Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. For

registered pesticides, contact your State Pesticide Agency.

Do not put product, spilled product, or filled or partially filled containers into

the trash or waste compactor.

Contact with incompatible materials could cause a reaction or fire. Do not contaminate ponds, waterways or ditches with chemical or used

container.

Contaminated packaging : Do not re-use empty containers.

Rinse thoroughly before discarding in trash.

Offer rinsed packaging material to local recycling facilities.

## **SECTION 14. TRANSPORT INFORMATION**

**DOT** UN-Number : 1759

Proper shipping name : Corrosive solids, n.o.s.

Proper technical name (CALCIUM HYPOCHLORITE MIXTURE)

Class : 8 Packing group : II

IATA UN-Number : 1759

Proper shipping name : Corrosive solid n.o.s.

Proper technical name (CALCIUM HYPOCHLORITE MIXTURE)

Class : 8 Packing group : II

IMDG UN-Number : 1759

Proper shipping name : CORROSIVE SOLID, N.O.S.

Proper technical name (CALCIUM HYPOCHLORITE MIXTURE)

Class : 8 Packing group : II

Not recommended for shipment by air Limited Quantity exemption possible

ORM-D Consumer Commodity exemption possible

MSDS Number: BIOG\_4500132

Version:	1.1	
Revision Date:	04/30/2008	
Print Date:	01/26/2009	

### **SECTION 15. REGULATORY INFORMATION**

## **National regulatory information**

OSHA Hazards : This material is hazardous under the criteria of the Federal OSHA Hazard

Communication Standard 29CFR 1910.1200.

SARA Hazard category : Reactivity Hazard

Acute Health Hazard

**US. EPA CERCLA** 

: US. EPA CERCLA Hazardous Substances (40 CFR 302)

(Product)

Listed

US CWA (Product)

. Listed

The components of this product are reported in the following inventories: TSCA

## Additional advice:

FIFRA (Federal Insecticide, Fungicide, Rodenticide Act): This product is a registered pesticide.

## **SECTION 16. OTHER INFORMATION**

### **Further information**

NFPA Classification : Health Hazard: 3

Fire Hazard: 0 Reactivity Hazard: 1

Specific hazards: OX Class 1

Oxidizer.



MSDS Number: BIOG\_4500132

Version:	1.1
Revision Date:	04/30/2008
Print Date:	01/26/2009

**HMIS Classification** Health Hazard: 3

Flammability: 0

Physical and chemical hazards: 1

PPI:Ask supervisor or safety specialist for handling instructions

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Since the use of this information and of these opinions and the conditions of use of this product are not within the control of the seller, it is the user's obligation to determine the conditions of safe use of the products.

MSDS Number: BIOG\_4500132