

MATERIAL SAFETY DATA SHEET

MSDS

Page: 1 of 7

Date-Issued: 07/09/2001

MSDS Ref. No: BBIO43006

Date-Revised: 07/17/2001

Revision No: New MSDS

Soft Soak Shock

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Soft Soak Shock

GENERAL USE: Water clarifier

MANUFACTURER

Bio-Lab, Inc.

BioGuard

P.O. Box 1489

Decatur, GA 30031

Customer SERVICE: 800-859-7946

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC (Transportation) (800) 424-9300

Poison Control Center (Medical) 877-800-5553

2. COMPOSITION / INFORMATION ON INGREDIENTS

| <u>Chemical Name</u> | <u>CAS#</u> | <u>Wt.%</u> |
|----------------------|-------------|-------------|
| Hydrogen peroxide | 7722-84-1 | 7.5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE:

Clear, colorless liquid with a slightly pungent odor.

IMMEDIATE CONCERNS:

DANGER: Corrosive: Causes eye burns. Repeated or prolonged skin contact can cause irritation or burns. Harmful if swallowed. Effects may be delayed. This concentrated product is not for human consumption. Do not get in eyes, on skin or clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing vapors. If product gets on clothing, remove and wash clothing immediately. Clothing may spontaneously ignite and burn fiercely if product dries out.

POTENTIAL HEALTH EFFECTS

EYES:

Corrosive. Causes eye burns. Do not get in eyes.

SKIN:

Corrosive. Contact with skin can cause skin irritation which may result in tissue burns if not removed promptly. Avoid contact with skin.

INGESTION:

Harmful if swallowed.

MATERIAL SAFETY DATA SHEET

MSDS

Page: 2 of 7

Date-Issued: 07/09/2001

MSDS Ref. No: BBIO43006

Date-Revised: 07/17/2001

Revision No: New MSDS

Soft Soak Shock

INHALATION:

Irritating to nose and throat. Avoid breathing vapors.

ACUTE TOXICITY:

Contact of product with skin may cause severe skin irritation (whitening of skin on contact). Contact of product with eye may cause eye irritation with tearing or blurring of vision and possible blindness. Inhalation of product may result in irritation of the upper respiratory passages; nausea, headache or weakness. Ingestion of product may result in irritation to the gastrointestinal internal tract and abdominal pain; or red blood cell destruction.

CHRONIC:

There are no known chronic hazards.

ROUTES OF ENTRY:

Skin Contact, Inhalation, Ingestion, Eye Contact.

4. FIRST AID MEASURES

EYES:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Get medical attention immediately.

SKIN:

If on skin or clothing: Remove contaminated clothing and thoroughly wash with soap and water. Get medical attention if irritation develops and persists.

INGESTION:

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION:

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention if irritation persists.

NOTES TO PHYSICIAN:

If swallowed, large amounts of oxygen may be released quickly. The distention of the stomach or esophagus may be injurious. Insertion of a gastric tube may be advisable.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: Non-Flammable

MATERIAL SAFETY DATA SHEET

MSDS

Page: 3 of 7

Date-Issued: 07/09/2001

MSDS Ref. No: BBIO43006

Date-Revised: 07/17/2001

Revision No: New MSDS

Soft Soak Shock

EXTINGUISHING MEDIA:

Use only water to fight fires in which hydrogen peroxide is involved.

EXPLOSION HAZARDS:

Spontaneous combustion can occur if allowed to remain in contact with oxidizable materials. Drying product on clothing or combustible material may cause fire. Mixtures with combustible material may be explosive.

FIRE FIGHTING PROCEDURES:

Avoid all bodily contact. Wear self contained breathing apparatus and appropriate protective equipment. Apply vast amounts of water for cooling and dilution.

6. ACCIDENTAL RELEASE MEASURES

GENERAL PROCEDURES:

Dilute with large quantities of water and allow hydrogen peroxide to decompose. Then dispose of according to federal, state, and local authorities.

7. HANDLING AND STORAGE

HANDLING:

CONTAINS AN OXIDIZING AGENT: Do not mix with other chemicals. Such use may cause a violent reaction leading to fire or explosion. Never return unused product to container. Contamination with organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion, In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water.

STORAGE:

Keep this product in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Do not reuse container, but place in trash collection. Rinse thoroughly before discarding in trash.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

| | TWA | EXPOSURE LIMITS | | | | | |
|-------------------|-----|-----------------|-------------------|-----------|-------------------|--------------|-------------------|
| | | OSHA PEL | | ACGIH TLV | | SUPPLIER OEL | |
| | | ppm | mg/m ³ | ppm | mg/m ³ | ppm | mg/m ³ |
| Hydrogen peroxide | TWA | 1 | 1.4 | 1 | 1.4 | | |

ENGINEERING CONTROLS:

General room ventilation plus local exhaust should be used to maintain exposure below TLV.

MATERIAL SAFETY DATA SHEET

MSDS

Page: 4 of 7

Date-Issued: 07/09/2001

MSDS Ref. No: BBIO43006

Date-Revised: 07/17/2001

Revision No: New MSDS

Soft Soak Shock

PERSONAL PROTECTIVE EQUIPMENT:

EYES AND FACE:

Wear goggles or safety glasses with side shields when handling this product.

SKIN:

Wear rubber gloves when handling this product. Avoid contact with skin.

RESPIRATORY:

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

WORK HYGIENIC PRACTICES:

Remove and wash contaminated clothing thoroughly and immediately. Clothing may ignite and burn fiercely if product dries out.

OTHER USE PRECAUTIONS:

Facilities storing or utilizing this material should be equipped with an eyewash and safety shower.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Slightly Pungent

APPEARANCE: Clear

COLOR: Colorless

pH: 3.0 to 3.5

VAPOR PRESSURE: Not Established

VAPOR DENSITY: Not Established

BOILING POINT: 101°C

FREEZING POINT: -5°C

SOLUBILITY IN WATER: Completely Miscible

SPECIFIC GRAVITY: 1.02 at (68°F)

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID:

High temperature. Poor ventilation. Contamination.

STABILITY:

This product is stable under normal conditions.

POLYMERIZATION:

Hazardous polymerization will not occur under normal conditions.

MATERIAL SAFETY DATA SHEET

MSDS

Page: 5 of 7

Date-Issued: 07/09/2001

MSDS Ref. No: BBIO43006

Date-Revised: 07/17/2001

Revision No: New MSDS

Soft Soak Shock

HAZARDOUS DECOMPOSITION PRODUCTS:

Contamination from any source may cause rapid decomposition, oxygen gas release and dangerous pressures.

INCOMPATIBLE MATERIALS:

Avoid contact with easily oxidizable material. Ammonia, urea or similar nitrogen containing compounds. Inorganic reducing compounds. Heavy metal ions, alkalis, and combustible materials. Other swimming pool/spa chemicals in their concentrated forms.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS:

This product is corrosive to eyes.

SKIN EFFECTS:

This product is presumed to be a skin irritant based on available toxicological information. Prolonged exposure can lead to burns.

CARCINOGENICITY:

This product is not listed as a carcinogen by IARC.

This product is not listed as a carcinogen by NTP.

This product is not listed as a carcinogen by OSHA.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:

This product may be toxic to fish and aquatic organisms. Keep product from entering waterways and watersheds.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD:

Do not put product, spilled product, or filled or partially filled containers into the trash or waste compactor. Contact with incompatible materials could cause a reaction or fire.

PRODUCT DISPOSAL:

Disposal of unused, uncontaminated product is regulated according to local, state and federal regulations.

EMPTY CONTAINER:

Do not reuse container. Rinse thoroughly before discarding in trash.

MATERIAL SAFETY DATA SHEET

MSDS

Page: 6 of 7

Date-Issued: 07/09/2001

MSDS Ref. No: BBIO43006

Date-Revised: 07/17/2001

Revision No: New MSDS

Soft Soak Shock

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Corrosive Liquid, N.O.S. (Contains < 8% Hydrogen Peroxide)

PRIMARY HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: 1760

PACKING GROUP: III

15. REGULATORY INFORMATION

UNITED STATES

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: This product or its components are not listed.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: This product or its components are not subject to export notification.

TSCA STATUS: This product or its components are listed on the TSCA Inventory.

OSHA HAZARD COMM. RULE:

Product is hazardous by definition of the Hazardous Communication Standard.

CLEAN WATER ACT:

Not Listed.

FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT):

This product is not a registered pesticide.

SDWA (SAFE DRINKING WATER ACT):

Not listed.

FDA (FOOD AND DRUG ADMINISTRATION):

Not listed.

16. OTHER INFORMATION

PREPARED BY: Regulatory Affairs Department

REVISION SUMMARY

New MSDS

NFPA CODES

HEALTH: 2 FIRE: 0 REACTIVITY: 1

MATERIAL SAFETY DATA SHEET

MSDS

Page: 7 of 7

Date-Issued: 07/09/2001

MSDS Ref. No: BBIO43006

Date-Revised: 07/17/2001

Revision No: New MSDS

Soft Soak Shock

NFPA STORAGE CLASSIFICATION:

NFPA Oxidizer Class 1

HMIS CODES

HEALTH: 3 FIRE: 0 REACTIVITY: 2 PROTECTION: B

MANUFACTURER DISCLAIMER:

IMPORTANT: This information is given without a warranty or guarantee. No suggestions for use are intended or shall be construed as a recommendation to infringe any existing patents or violate any Federal, State or local laws. Safe handling and use is the responsibility of the customer. Read the label before using this product. This information is true and accurate to the best of our knowledge.
